








NOTE:

CUSTOMER / INSTALLER MUST VERIFY LEAD SHIELDING EQUIVALENCY REQUIREMENT PRIOR TO ORDERING.

RAY-BAR STATIONARY CONTROL SCREEN BARRIERS

1. STANDARD 1/16" 1.6MM 4# LEAD SHIELDING
2. HIGHER LEAD SHIELDING EQUIVALENCY LEVELS AVAILABLE
3. DURABLE MODULAR WOOD OR METAL PANELS CONSTRUCTION.
4. EASY TO INSTALL SHIELDED PANELS WITH CLEAR RETRO-FIT INSTRUCTIONS.
5. AVAILABLE IN STANDARD WHITE, GREY OR WARM BEIGE.
ALSO AVAILABLE: SOLID LAMINATE COLORS, PLASTIC LAMINATES OR SOLID POWDER COAT COLORS.
6. STANDARD X-RAY LEAD GLASS OR OPTIONAL IMPACT RESISTANT X-RAY SAFETY GLASS VIEW WINDOWS.
7. CUSTOM SIZES AND CONFIGURATIONS AVAILABLE.



ATTACHED PARTITIONS


FREE STANDING PARTITIONS

1

RAY-BAR STATIONARY X-RAY CONTROL BARRIER TYPES

N.T.S.

Terms of Use: Certain designs and concepts are the exclusive proprietary property and work product of Ray-Bar Engineering provided in good faith as a courtesy for the architectural design of projects specifying, incorporating and utilizing genuine Ray-Bar products and assemblies. Ray-Bar designs are not to be copied, altered, plagiarized or utilized in any competitive or detrimental manner against Ray-Bar as protected by law and/or copyrights. "All Rights Reserved"

	JOB NAME:
	LOCATION:
	ROOM NUMBER:
	SHEET ____ OF ____:
STATIONARY X-RAY CONTROL BARRIERS	

RAY-BAR ENGINEERING CORP.
 Toll Free: 1(800) 444-XRAY / 1(800) 444-9729
 Telephone: (626) 969-1818
 24 Hour Fax: 1(800) 333-XRAY / 1(800) 333-9729
 website: www.raybar.com

2012-05-10
 SCALE
 1/4" = 1'-0"
SXB-1