


RADIATION ROOM
X-RAY SOURCE SIDE.

LEAD SAME THICKNESS
AS IN WALL.

LEAD THICKNESS AS
SPECIFIED BY PHYSICIST
SHIELDING REPORT.

RAY-BAR LEAD
BACKED $\frac{5}{8}$ " DRYWALL
TYPE "RB-LBG".



NO THROUGH PENETRATIONS PERMITTED

TERM OF USE: CERTAIN DESIGN AND CONCEPTS ARE THE EXCLUSIVE PROPRIETARY AND WORK PRODUCT OF RAY-BAY ENGINEERING PROVIDED IN GOOD FAITH AS A COURTESY FOR THE ARCHITECTURAL DESIGN OF PROJECTS SPECIFYING, INCORPORATING AND UTILIZING GENUINE RAY-BAR PRODUCTS AND ASSEMBLIES. RAY-BAR DESIGN ARE NOT TO BE COPIED, ALTERED, PLAGIARIZED OR UTILIZED IN ANY COMPETITIVE OR DETRIMENTAL MANNER AGAINST RAY-BAR AS PROTECTED BY LAW AND/OR COPYRIGHTS. "ALL RIGHTS RESERVED"



| | |
|--------------|--|
| JOB NAME: | |
| LOCATION: | |
| ROOM NUMBER: | |
| SHEET_OF_: | |

PIPE PENETRATION IN LEAD LINED WALL PARTITION

RAY-BAR ENGINEERING CORP.

TOOL FREE: 1(800) 444-XRAY/ 1(800) 444-9729
 TELEPHONE : (626) 969-1818
 24 HOUR FAX: 1(800) 333-XRAY/ 1(800) 333-9729
 WEBSITE: WWW.RAYBAR.COM

SCALE
N.T.S.

PIPE