


RAY-BAR BALLISTIC RESISTANT GLAZING (HANDGUN) UL 3

**MEETS UL 752 LEVEL 3 BULLET RESISTANCE, NO SPALL
RESISTS 44 MAGNUM, NO SPALL ON ASSET SIDE
ALSO MEETS NIJ 0108.01 LEVEL 3A**

PRODUCT DESCRIPTION: 1-1/4" THICK GLASS CLAD POLYCARBONATE




PROPRIETARY INFORMATION NOT FOR PUBLIC DISTRIBUTION

TECHNICAL DATA:

THICKNESS	TOLERANCE	WEIGHT LBS/SQ FT	DIMENSIONAL TOLERANCE	SIZE RESTRICTIONS		VISIBLE LIGHT TRANSMITTANCE
	THICKNESS			MINIMUM	MAXIMUM	
1-1/4"	±0.080"	12.8	± 1/8"	12" X 12"	60" X 96"	77%

- UL 752 LEVEL 3
- CPSC 16 CFR 1201 CAT 2
- NIJ 0108.01 LEVEL 3A
- ASTM 1349-96
- ASTM 1036-97
- ASTM 1036-1
- ANSI 297.1
- AVAILABLE IN CLEAR LOW IRON GLASS

Terms of Use: Certain designs and concepts are the exclusive proprietary property and work product of Ray-Bar Engineering provided in good faith as a courtesy for the architectural design of projects specifying, incorporating and utilizing genuine Ray-Bar products and assemblies. Ray-Bar designs are not to be copied, altered, plagiarized or utilized in any competitive or detrimental manner against Ray-Bar as protected by law and/or copyrights. "All Rights Reserved"



PROPRIETARY DESIGN
JOB NAME :
LOCATION :
ROOM NUMBER :
SHEET ____ OF ____ :

RAY-BAR BALLISTIC RESISTANT GLASS UL3

RAY-BAR ENGINEERING CORP.

Toll Free : 1(800) 444-XRAY / 1(800) 444-9729
Telephone: (626) 969-1818
24 Hour Fax: 1(800) 333-XRAY /
1(800) 333-9729
website: www.raybar.com

SCALE
NTS

RB-BRG3